ELSEVIER

Journal of Statistical Planning and Inference 71 (1998) 379–380

journal of statistical planning and inference

Author Index Volume 71 (1998)*

Bacro, J.N. and M. Brito, A tail bootstrap procedure for estimating the tail Pareto-index (1–2) 245–260
Basu, S., S.R. Jammalamadaka and W. Liu, Stability and infinitesimal robustness of posterior distributions and posterior quantities (1–2) 151–162
Beirlant, J. and L. Györfi, On the asymptotic normality of the L_2- error in partitioning regression estimation (1–2) 93–107
Brito, M., *see* J.N. Bacro (1–2) 245–260
Chan, K.S., *see* C.J. Lloyd (1–2) 363–375
Chen, Q., *see* P.S.F. Yip (1–2) 229–244
Chi, E.M. and S. Weerahandi, Comparing treatments under growth curve models: Exact tests using generalized p-values (1–2) 179–189
Cho, M., *see* R.E. Weiss (1–2) 163–177
Clarke, B. and P. Gustafson, On the overall sensitivity of the posterior distribution to its inputs (1–2) 137–150
Cordeiro, G.M. and S.L.P. Ferrari, A note on Bartlett-type correction for the first few moments of test statistics (1–2) 261–269
Cox, D.D., *see* N. Raghavan (1–2) 117–136
Ding, Y., *see* C.F.J. Wu (1–2) 331–348
Draper, N.R. and F. Pukelsheim, Mixture models based on homogeneous polynomials (1–2) 303–311
Espejo, M.R., *see* R. Singh (1–2) 287–301
Ferrari, S.L.P., *see* G.M. Cordeiro (1–2) 261–269
Groß, J., G. Trenkler and E.P. Liski, Necessary and sufficient conditions for superiority of misspecified restricted least squares regression estimator (1–2) 109–116
Gustafson, P., *see* B. Clarke (1–2) 137–150
Györfi, L., *see* J. Beirlant (1–2) 93–107
Hutson, A.D., *see* G.S. Mudholkar (1–2) 191–208
Jacobson, S.H. and D.J. Morrice, A mathematical model for assessing the temporal association between health disorders and medical treatments (1–2) 209–228
Jammalamadaka, S.R., *see* S. Basu (1–2) 151–162
King, M.L., *see* M.R. Laskar (1–2) 75– 92
Koul, H.L. and W. Stute, Regression model fitting with long memory errors (1–2) 35– 56
Kulinskaya, E. and R.G. Staudte, Tests and optimal guarded weights of evidence (1–2) 1– 18
Laskar, M.R. and M.L. King, Estimation and testing of regression disturbances based on modified likelihood functions (1–2) 75– 92
Liski, E.P., *see* J. Groß (1–2) 109–116
Liu, W., *see* S. Basu (1–2) 151–162
Lloyd, C.J., P.S.F. Yip and K.S. Chan, A comparison of recapture, removal and resighting designs for population size estimation (1–2) 363–375
Meerschaert, M.M. and H.-P. Scheffler, A simple robust estimation method for the thickness of heavy tails (1–2) 19– 34
Morgan, J.P., *see* S.K. Srivastav (1–3) 313–330
Morrice, D.J., *see* S.H. Jacobson (1–2) 209–228
Müller, W.G. and A. Pázman, Design measures and approximate information matrices for experiments without replications (1–2) 349–362

*The issue number is given in front of page numbers

Elsevier Science B.V.

Mudholkar, G.S. and A.D. Hutson, LQ-moments: Analogs of L-moments (1–2) 191–208
Pázman, A., *see* W.G. Müller (1–2) 349–362
Pukelsheim, F., *see* N.R. Draper (1–2) 303–311
Raghavan, N. and D.D. Cox, Analysis of the posterior for spline estimators in logistic regression (1–2) 117–136
Scheffler, H.-P., *see* M.M. Meerschaert (1–2) 19– 34
Stute, W. *see* H.L. Koul (1–2) 35– 56
Sing, H.P., *see* R. Singh (1–2) 287–301
Singh, R., H.P. Singh and M.R. Espejo, The efficiency of an alternative to ratio estimator under a super population model (1–2) 287–301
Srivastav, S.K. and J.P. Morgan, Optimality of designs with generalized group divisible structure (1–2) 313–330
Staudte, R.G., *see* E. Kulinskaya (1–2) 1– 18
Trenkler, G., *see* J. Groß (1–2) 109–116
Wandji, J.N., A nonparametric goodness-of-fit test for a class of parametric auto-regressive models (1–2) 57– 74
Weerahandi, S., *see* E.M. Chi (1–2) 179–189
Weiss, R.E. and M. Cho, Bayesian marginal influence assessment (1–2) 163–177
Wu, C.F.J. and Y. Ding, Construction of response surface designs for qualitative and quantitative factors (1–2) 331–348
Yip, P.S.F., *see* C.J. Lloyd (1–2) 363–375
Yip, P.S.F. and Q. Chen, Statistical inference for a multitype epidemic model (1–2) 229–244